




Contents lists available at ScienceDirect

Science of the Total Environment

journal homepage: www.elsevier.com/locate/scitotenv

A field-based model of the relationship between extirpation of salt-intolerant benthic invertebrates and background conductivity

Susan M. Cormier ^{a,*}, Lei Zheng ^{b,1}, Colleen M. Flaherty ^c

^a U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment, 26 Martin Luther King Dr. W, Cincinnati, OH 45268, USA

^b Tetra Tech, 10711 Red Run Blvd., Suite 105, Owings Mills, MD 21117, USA

^c U.S. Environmental Protection Agency, Office of Water, Office of Science and Technology, Health and Ecological Criteria Division, 1200 Pennsylvania Avenue, N.W., Washington, DC 20460, USA

Ex. 4 CBI Copyright

salt-intolerant genera in an area. The results also suggest that species distribute along natural background gradients of SC and that this relationship can be used to develop criteria for ionic concentration.

Published by Elsevier B.V.

Ex. 4 CBI Copyright

Ex. 4 CBI Copyright

Please cite this article as: Cormier, S.M., et al., A field-based model of the relationship between extirpation of salt-intolerant benthic invertebrates and background conductivity, *Sci Total Environ* (2018), <https://doi.org/10.1016/j.scitotenv.2018.02.044>

Ex. 4 CBI Copyright

Please cite this article as: Cormier, S.M., et al., A field-based model of the relationship between extirpation of salt-intolerant benthic invertebrates and background conductivity, *Sci Total Environ* (2018), <https://doi.org/10.1016/j.scitotenv.2018.02.044>

Ex. 4 CBI Copyright

Please cite this article as: Cormier, S.M., et al., A field-based model of the relationship between extirpation of salt-intolerant benthic invertebrates and background conductivity, Sci Total Environ (2018), <https://doi.org/10.1016/j.scitotenv.2018.02.044>

Ex. 4 CBI Copyright

Please cite this article as: Cormier, S.M., et al., A field-based model of the relationship between extirpation of salt-intolerant benthic invertebrates and background conductivity, *Sci Total Environ* (2018), <https://doi.org/10.1016/j.scitotenv.2018.02.044>

Ex. 4 CBI Copyright

REFERENCES

- Bernhardt, E.S., Lutz, B.D., King, R.S., Fay, J.P., Carter, C.E., Helton, A.M., Campagna, D., Amos, J., 2012. How many mountains can we mine? Assessing the regional impact of surface mining on freshwater ecosystems of the Central Appalachians. *Environ. Sci. Technol.* 46, 8115–8122.
- Bos, D., Cumming, B., Watters, C., Smol, J., 1996. The relationship between zooplankton, SC and lake-water ionic composition in 111 lakes from the Interior Plateau of British Columbia, Canada. *Int. J. Salt Lake Res.* 5 (1), 1–15.
- Bradley, T., 2009. Hyper-Regulators: Life in Fresh Water. *Animal Osmoregulation*. Oxford University Press, New York, pp. 149–151.
- Cañedo-Argüelles, M., Kefford, B.J., Piscart, C., Prat, N., Schafer, R.B., Schulz, C., 2013. Salinization of rivers: an urgent ecological issue. *Environ. Pollut.* 173, 157–167.
- CCME, 2007. Water Quality Guidelines for the Protection of Aquatic Life, of the Environment Water Quality Guidelines (2007) A Protocol for the Derivation of Water Quality Guidelines. Canadian Council of Ministers of Environment. <http://ceeq-rcqe.ccmc.ca/download/en/220>.
- Clements, W.H., Kotalik, C., 2016. Effects of major ions on natural benthic communities: an experimental assessment of the U.S. Environmental Protection Agency aquatic life benchmark for conductivity. *Freshw. Sci.* 35 (1), 126–138.
- Cormier, S.M., 2017. Dataset for: A Field-based Model of the Relationship Between Extirpation of Salt-intolerant Benthic Invertebrates and Background Conductivity. <https://doi.org/10.23719/1371707>.
- Cormier, S.M., Suter II, G.W., 2013. A method for deriving water-quality benchmarks using field data. *Environ. Toxicol. Chem.* 32, 255–262. <https://doi.org/10.1002/etc.2057>.
- Cormier, S.M., Suter, G.W., Zheng, L., 2013. Derivation of a benchmark for freshwater ionic strength. *Environ. Toxicol. Chem.* 32 (2):263–271. <https://doi.org/10.1002/etc.2064>.
- Cormier, S.M., Zheng, L., Leppo, E.W., Hamilton, A., 2017. Dataset for: Step-by-Step Calculation and Spreadsheet Tools for Predicting Stressor Levels that Extirpate Genera and Species. Wiley. <https://doi.org/10.6084/m9.figshare.5500201>.
- Cormier, S., Zheng, L., Hill, R., Novak, R., Flaherty, C.M., 2018a. A flow-chart for developing water quality criteria from two field-based methods. *Sci. Total Environ.* <https://doi.org/10.1016/j.scitotenv.2018.01.137>.
- Cormier, S., Zheng, L., Suter II, G.W., Flaherty, C.M., 2018b. Assessing background levels of specific conductivity using weight of evidence. *Sci. Total Environ.* <https://doi.org/10.1016/j.scitotenv.2018.02.017>.
- Dunlop, J.E., Mann, R.M., Hobbs, D., Smith, R.E.W., Nanjappa, V., Vardy, S., Vink, S., 2015. Assessing the toxicity of saline waters: the importance of accommodating surface water ionic composition at the river basin scale. *Australas. Bull. Ecotoxicol. Environ. Chem.* 2, 1–15.
- Environment Canada and Health Canada, 2001. Priority Substances List Assessment Report: Road Salts. Canadian Environmental Protection Act, 1999. <http://ww1.prweb.com/prfiles/2008/02/07/370423/EnvironmentCanadaReport.pdf>.
- Erickson, R.J., Mount, D.R., Highland, T.L., Hockett, J.R., Hoff, D.J., Jenson, C.T., Norberg-King, T.J., Peterson, K.N., 2017. The acute toxicity of major ion salts to *Ceriodaphnia dubia*, II. Empirical relationships in binary salt mixtures. *Environ. Toxicol. Chem.* 36 (6), 1525–1537.
- European Commission, 2011. Common Implementation Strategy for the Water Framework Directive (2000/60/EC), Guidance Document No. 27, Technical Guidance for Deriving Environmental Quality Standards. Technical Report - 2011 – 055. European Communities, Brussels, Belgium. <https://circabc.europa.eu/sd/a/6cc3581b-5855-4b6f-91c6-433a1e947838/TGD-EQS%20CIS-WFD%202720BC%202011.pdf>.
- Evans, D., 2008. Osmotic and Ionic Regulation: Cells and Animals. CRC Press, Boca Raton, FL.
- Findlay, S.E., Kelly, V.R., 2011. Emerging indirect and long-term road salt effects on ecosystems. *Ann. N. Y. Acad. Sci.* 1223, 58–68.
- Gerritsen, J., Zheng, L., Burton, J., Boschen, C., Wilkes, S., Ludwig, J., Cormier, S., 2010. Inferring Causes of Biological Impairment in the Clear Fork Watershed, West Virginia. National Center for Environmental Assessment, Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=201963>.
- Gillis, P., 2011. Assessing the toxicity of sodium chloride to the glochidia of freshwater mussels: implications for salinization of surface waters. *Environ. Pollut.* 159 (6), 1702–1708.
- Griffith, M.B., 2014. Natural variation and current reference for specific SC and major ions in wadeable streams of the coterminous U.S. *Freshw. Sci.* 33 (1), 1–17.
- Griffith, M.B., 2017. Toxicological perspective on the osmoregulation and ionoregulation physiology of major ions by freshwater animals: teleost fish, Crustacea, aquatic insects, and Mollusca. *Environ. Toxicol. Chem.* 36 (3), 576–600.
- Higgins, C., Wilde, G., 2005. The role of salinity in structuring fish assemblages in a prairie stream system. *Hydrobiologia* 549, 197–203.
- Hille, B., 2001. Ion Channels of Excitable Membranes. Sinauer Associates, Inc, Sunderland, MA.
- James, G., Witten, D., Hastie, T., Tibshirani, R., 2013. An introduction to Statistical Learning With Applications in R. Springer Science and Business Media, New York, NY.
- Karatayev, A., Miller, T.D., Burlakova, L., 2012. Long-term changes in unionid assemblages in the Rio Grande, one of the World's top 10 rivers at risk. *Aquat. Conserv.* 22, 206–219.
- Kaushal, S.S., Groffman, P.M., Likens, G.E., Belt, K.T., Stack, W.P., Kelly, V.R., Band, L.E., Fisher, G.T., 2005. Increased salinization of fresh water in the northeastern United States. *Proc. Natl. Acad. Sci. U. S. A.* 102:13517–13520. <https://doi.org/10.1073/pnas.0506414102>.

Please cite this article as: Cormier, S.M., et al., A field-based model of the relationship between extirpation of salt-intolerant benthic invertebrates and background conductivity, *Sci Total Environ* (2018), <https://doi.org/10.1016/j.scitotenv.2018.02.044>

- Kaushal, S.S., Likens, G.E., Utz, R.M., Pace, M.L., Grese, M., Yepsen, M., 2013. Increased river alkalization in the Eastern U.S. Environ. Sci. Technol. 47 (18):10302–10311. <https://doi.org/10.1021/es401046s>.
- Kaushal, S.S., Likens, G.E., Pace, M.L., Utz, R.M., Haq, S., Gorman, J., Grese, M.M., 2018. Freshwater salinization syndrome on a continental scale. Proc. Natl. Acad. Sci. U. S. A. <https://doi.org/10.1073/pnas.1711234115>.
- Kefford, B.J., Papas, P.J., Metzeling, L., Nugegoda, D., 2004. Do laboratory salinity tolerances of freshwater animals correspond with their field salinity? Environ. Pollut. 129 (3), 355–362.
- Kefford, B.J., Buchwalter, D., Cañedo-Argüelles, M., Davis, J., Duncan, R.P., Hoffmann, A., Thompson, R., 2016. Salinized rivers: degraded systems or new habitats for salt-tolerant faunas? Biol. Lett. 12 (3), 20151072. <https://doi.org/10.1098/rsbl.2015.1072>.
- Komnick, H., 1977. Chloride cells and chloride epithelia of aquatic insects. Int. Rev. Cytol. 49, 285–328.
- Kunz, J.L., Conley, J.M., Buchwalter, D.B., Norberg-King, T.J., Kemble, N.E., Wang, N., Ingersoll, C.G., 2013. Use of reconstituted waters to evaluate effects of elevated major ions associated with mountaintop coal mining on freshwater invertebrates. Environ. Toxicol. Chem. 32 (12), 2826–2835.
- Lindberg, T.T., Bernhardt, E.S., Bier, R., Helton, A.M., Merola, R.B., Vengosh, A., Di Giulio, R.T., 2011. Cumulative impacts of mountaintop mining on an Appalachian watershed. Proc. Natl. Acad. Sci. 108 (52), 20920–20934.
- Marshall, W.S., 2002. Na^+ , Cl^- , Ca^{2+} and Zn^{2+} transport by fish gills: retrospective review and prospective synthesis. J. Exp. Zool. 293 (3), 264–283.
- Merriam, E., Petty, J., Merovich, G., Fulton, J., Strager, M., 2011. Additive effects of mining and residential development on stream conditions in a central Appalachian watershed. J. N. Am. Benthol. Soc. 30 (2), 399–418.
- Miceli, M.V., Rizzo, P., Achinelly, M.F., Villar, M.M., Muttis, E., 2012. Population dynamics between the nemertid *Streptovimermis spiculatus* (Nematoda: Mermithidae) and the floodwater mosquito *Ochlerotatus albifasciatus* (Diptera: Culicidae) over time. Biol. Control 61, 55–63.
- Mount, D.R., Erickson, R.J., Highland, T.L., Hockett, J.R., Hoff, D.J., Jenson, C.T., Norberg-King, T.J., Peterson, K.N., Polaski, Z.M., Wisniewskiz, S., 2016. The acute toxicity of major ion salts to *Ceriodaphnia dubia*: I. Influence of background water chemistry. Environ. Toxicol. Chem. 35 (12), 3039–3057.
- Nelson, D., Cox, M., 2005. Lehninger Principles of Biochemistry. W.H. Freeman & Co New York, NY.
- Olson, J.R., 2012. The Influence of Geology and Other Environmental Factors on Stream Water Chemistry and Benthic Invertebrate Assemblages. (PhD Dissertation). Utah State University, Logan, Utah <http://digitalcommons.usu.edu/cgi/viewcontent.cgi?article=2340&context=etd>.
- Olson, J.R., Hawkins, C.P., 2012. Predicting natural base flow stream water chemistry in the western United States. Water Resour. Res. 48 (W02504).
- Olson, J.R., Hawkins, C.P., 2017. Effects of total dissolved solids on growth and mortality predict distributions of stream macroinvertebrates. Freshw. Biol. 62:779–791. <https://doi.org/10.1111/fwb.12901>.
- Omernik, J.M., 1987. Ecoregions of the conterminous United States. Ann. Assoc. Am. Geogr. 77 (1), 118–125.
- Palmer, M.A., Bernhardt, E.S., Schlesinger, W.H., Eshleman, K.N., Foufoula-Georgiou, E., Hendryx, M.S., Lemly, A.D., Likens, G.E., Loucks, O.L., Power, M.E., White, P.S., Wilcock, P.R., 2010. Science and regulation: Mountaintop mining consequences. Science 327 (5962):148–149. <https://doi.org/10.1126/science.1180543>.
- Pond, G.J., Passmore, M.E., Pointon, N.D., Feibinger, J.K., Walker, C.A., Krock, K.J., Fulton, J.B., Nash, W.L., 2014. Long-term impacts on macroinvertebrates downstream of reclaimed mountaintop mining valley fills in central Appalachia. Environ. Manag. 54 (4), 919–933.
- Posthuma, L., Suter, G.W., Traas, T., 2001. Species Sensitivity Distributions in Ecotoxicology. Lewis Publishers, Boca Raton, FL.
- Potapova, M., 2005. Relationships of Soft-Bodied Algae to Water-Quality and Habitat Characteristics in the U.S. Rivers: Analysis of the National Water-Quality Assessment (NAWQA) Program Data Set. The Academy of Natural Sciences of Drexel University, Philadelphia, PA http://diatom.acnatsci.org/autorecology/uploads/Report_October20.pdf.
- Potapova, M., Charles, D.F., 2003. Distribution of benthic diatoms in U.S. rivers in relation to conductivity and ionic composition. Freshw. Biol. 48, 1311–1328.
- Smith, D., 2001. Pennak's Freshwater Invertebrates of the United States: Porifera to Crustacea. John Wiley & Sons, New York, NY.
- Stephan, C.E., Mount, D.L., Hansen, D.J., Gentile, J.R., Chapman, G.A., Brungs, W.A., 1985. Guidelines for Deriving Numerical National Water Quality Criteria for the Protection of Aquatic Organisms and Their Uses. U.S. Environmental Protection Agency, Duluth, MN. PB85-227049. <https://www.epa.gov/sites/production/files/2016-02/documents/guidelines-water-quality-criteria.pdf>.
- Stoddard, J.L., Larsen, D.P., Hawkins, C.P., Johnson, R.K., Norris, R.H., 2006. Setting expectations for the ecological condition of streams: the concept of reference condition. Ecol. Appl. 16 (4), 1267–1276.
- Sutcliffe, D., 1962. The composition of haemolymph in aquatic insects. Exp. Biol. 39, 325–343.
- Thorp, J., Covich, A., 2001. Ecology and Classification of North American Freshwater Invertebrates. Academic Press, New York, NY.
- Timpano, A.J., Schoenholz, S.H., Soucek, D.J., Zipper, C.E., 2015. Salinity as a limiting factor for biological condition in mining-influenced central Appalachian headwater streams. J. Am. Water Resour. Assoc. 51 (1):240–250. <https://doi.org/10.1111/jawr.12247>.
- U.S. EPA, 2000. Nutrient Criteria: Technical Guidance Manual; Rivers and Streams. U.S. Environmental Protection Agency, Office of Water, Washington, DC. EPA 822/B-00/002. <https://www.epa.gov/nutrient-policy-data/criteria-development-guidance-rivers-and-streams>.
- U.S. EPA, 2011. A Field-Based Aquatic Life Benchmark for Conductivity in Central Appalachian Streams. U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment, Washington, DC. EPA/600/R-10/023. <http://cfpub.epa.gov/ncea/clm/recordisplay.cfm?deid=233809>.
- U.S. EPA, 2016. Public Review Draft: Field-Based Methods for Developing Aquatic Life Criteria for Specific Conductivity. U.S. Environmental Protection Agency, Office of Water, Washington, DC. EPA-822-R-07-010. (Available online at). <https://www.epa.gov/wqc/draft-field-based-methods-developing-aquatic-life-criteria-specific-conductivity>.
- U.S. EPA, 2012. Recreational Water Quality Criteria. U.S. Environmental Protection Agency, Office of Water, Washington, DC, Office of Water 820-F-12-058. <https://www.epa.gov/sites/production/files/2015-10/documents/rwqc2012.pdf>.
- van Vlaardingen, P.L.A., Verbruggen, E.M.J., 2007. Guidance for the Derivation of Environmental Risk Limits Within the Framework of International and National Environmental Quality Standards for Substances in the Netherlands (INS). RIVM report 601782001/2007. National Institute for Public Health and the Environment, Bilthoven, the Netherlands. <http://www.rivm.nl/dsresource?objectid=7b0fb80c-5933-4fa1-b11f-dc077592fd2&type=org&disposition=inline>.
- Vander Laan, J.J., Hawkins, C.P., Olson, J.R., Hill, R.A., 2013. Linking land use, in-stream stressors, and biological condition to infer causes of regional ecological impairment in streams. Freshw. Sci. 32, 801–820.
- Wang, N., Dorman, R.A., Ingersoll, C.G., Hardest, D.K., Brumbaugh, W.G., Hammer, E.J., Bauer, C.R., Mount, D.R., 2016. Acute and chronic toxicity of sodium sulfate to four freshwater organisms in water-only exposures. Environ. Toxicol. Chem. 35, 115–127.
- Wang, N., Ivey, C.D., Ingersoll, C.G., Brumbaugh, W.G., Alvarez, D., Hammer, E.J., Bauer, C.R., Augspurger, T., Raimondo, S., Barnhart, M.C., 2017. Acute sensitivity of a broad range of freshwater mussels to chemicals with different modes of toxic action. Environ. Toxicol. Chem. 36 (3), 786–796.
- Warne, M., Batley, G.E., van Dam, R.A., Chapman, J.C., Fox, D.R., Hickey, C.W., Stauber, J.L., 2015. Revised Method for Deriving Australian and New Zealand Water Quality Guideline Values for Toxicants. Prepared for the Council of Australian Government's Standing Council on Environment and Water (SCEW). Department of Science, Information Technology and Innovation, Brisbane, Queensland. (43 pp). <https://publications.csiro.au/prt/download?pid=csiro:EP159161&dsid=D54>.
- Wichard, W., Tsui, P., Komnick, H., 1973. Effect of different salinities on the coniform chloride cells of mayfly larvae. J. Insect. Physiol. 19, 1825–1835.
- Wood, C., Shuttleworth, T., 2008. Cellular and molecular approaches to fish ionic regulation. Fish Physiology. Vol. 14. Academic Press, San Diego, CA.
- Wood-Eggenschwiler, S., Barlocher, F., 1983. Aquatic hyphomycetes in sixteen streams in France, Germany and Switzerland. Trans. Br. Mycol. Soc. 81, 371–379.
- Zaitsev, C., 2014. Real Statistics Using Excel. <http://www.real-statistics.com>.
- Zalizniak, L., Kefford, B., Nugegoda, D., 2006. Is all salinity the same? I. The effect of ionic compositions on the salinity tolerance of five species of freshwater invertebrates. Mar. Freshw. Res. 57, 75–82.
- Zhao, Q., Jia, X., Xia, R., Lin, J., Zhang, Y., 2016. A field-based method to derive macroinvertebrate benchmark for specific conductivity adapted for small data sets and demonstrated in the Hun-Tai River Basin, Northeast China. Environ. Pollut. 216:902–910. <https://doi.org/10.1016/j.envpol.2016.06.065>.
- Zielinski, R.A., Otton, J.K., Johnson, C.A., 2001. Sources of salinity near a coal mine spoil pile, north-central Colorado. J. Environ. Qual. 30:1237–1248. <http://www.ncbi.nlm.nih.gov/pubmed/11476501>.